Notes - Waves, Standing Waves, Division of The Octave, and Fret Calculations

Show these parts of a transverse wave: crest, trough, wavelength, a	mplitude
Wavelength Symbol:	
Frequency:	
Frequency Symbol: Units: Fre	quency Formula:
Wave speed Formula: v =	
Calculate the frequency of the series of waves on the right.	
Assuming that λ =10m for the waves on the right, what is the wave speed?	0s 0.5s 1.0s
2. When two or more waves arrive at the same point, of the individual waves. This is a phenomenon called _disturbance corresponds to a force, then the forces a resulting wave is a simple addition of the disturbances amplitudes add.	If the disturbance, the
Wave 1 2X Resultant	Wave 1 Wave 2 O Resultant


Pure ______ Interference Pure _____ Interference

3. In the diagram below, two waves pass through each other moving in opposite directions, and their disturbances add as they go by. Since the two waves have the same ______ and _____, then they alternate between constructive and destructive interference. The resultant looks like a wave standing in place. This is called a _____.

<u>Standing Waves in Vibrating Strings fixed at both ends (e.g. a guitar string)</u>

A plucked string seems to be simply vibrating back and forth, perpendicularly to the length of the string. In actuality, the vibration can be understood as a set of complex interactions between waves that are traveling parallel to the string length, interfering with one another as they reflect back and forth, and producing standing wave patterns.

The vibrations of a string actually comprise several different standing wave patterns superimposed over one another. The loudest wave pattern is the **fundamental** (a.k.a. **1**st **harmonic**). All of these wave patterns are called **harmonics**, and they only



occur at integer multiples of the fundamental frequency. For example, if the fundamental frequency is 10Hz, the 2nd harmonic would have a frequency of 20Hz; the 3rd harmonic would be 30Hz; the 4th harmonic = 40Hz. For wavelength, this relationship is inverted. The wavelength of the 2^{nd} harmonic is ½ the fundamental wavelength. The 3^{rd} harmonic's wavelength is 1/3 the fundamental wavelength

4. For the figure on the top right, give the wavelength for each harmonic, in terms of the vibrating string length.

Fundamental Wavelength = ______string length

2nd harmonic Wavelength = ______string length

3rd Harmonic Wavelength = _____string length

4th Harmonic Wavelength = _____string length

12 TET (12 Tone Equal Temperament) Division of the Octave

When musicians play a 1-octave scale, they play notes. When we hear the musical notes at the bottom and top of a 1-octave scale, our ears perceive those notes as being the same notes, even though one sounds "higher" and one	Note Name	half steps up from starting note	Frequency (Hz)	Ratio: Current frequency / Previous frequency
sounds "lower."	Α	0	440	NA
sounds lower.	A# (or B ♭)	1	466	1.059
When two notes are separated by an octave, the	В	2	494	1.059
higher note has a frequency that is	С	3	523	1.059
riigher note has a frequency that is	C# (or D ♭)	4	554	1.059
the frequency of the	D	5	587	1.059
lower note.	D# (or E ♭)	6	622	1.059
lower note.	E	7	659	1.059
For everyale, a reveigel mate with a freeway of	F	8	698	1.059
For example, a musical note with a frequency of	F# (or G ♭)	9	740	1.059
110Hz is an A. If we start singing at that pitch and	G	10	784	1.059
move gradually upward, we will reach the next A	G# (or A ♭)	11	831	1.059
when we get toHz. The next A after that	Α	12	880	1.059
will be heard atHz.	A# (or B ♭)	13	932	1.059
	В	14	988	1.059
In an 8 note, one octave scale, not every note on	С	15	1047	1.059
the instrument gets played. The music that most	C# (or D ♭)	16	1109	1.059
of us listen to actually divides each	D	17	1175	1.059
	D# (or E ♭)	18	1245	1.059
octave into "equal" parts. Each of these	E	19	1319	1.059
equal parts is called a	F	20	1397	1.059
	F# (or G ♭)	21	1480	1.059
or a	G	22	1568	1.059
	G# (or A ♭)	23	1661	1.059
The musical	Α	24	1760	1.059
system that divides an octave in this way is called				

This is

Ratio of

wavelength

to starting note

wavelength

1

0.944

0.891

0.841

0.794

0.749

0.707

0.667

0.630

0.595

0.561

0.530

0.5

0.472

0.445

0.420

0.397

0.375

0.354

0.334

0.315

0.297

0.281

0.265

0.25

- 4. A one octave jump in pitch represents a of sound wave frequency.
- A two octave increase in pitch represents a 2⁽) increase in frequency. 5.
- A three octave increase in pitch represents a 2^() increase in frequency. 6.
- A four octave increase in pitch represents a 2^() increase in frequency. 7.
- A 1/12 octave increase in pitch (in other words, a half step) represents a 2⁽ 8. increase in frequency. In other words, to raise the pitch of a sound by a half step its frequency must be multiplied by $2^{(1/12)} \approx 1.0595$.
- To raise pitch by n half steps, one must multiply the current frequency by 2(9.
- $2^{(1/12)} \approx 1.0595$ 10.


String Instruments:

11.	The frequency of sound produced by a string is affected by the string's,		
	, and other characteristics.		
12.	The vibrating portion of a string extends from an instrument's to its		
13.	Label the nut, bridge, body, neck, frets, saddle, and tuners on the string instrument to the right.		
14.	The purpose of frets is to allow the musician to precisely control		
15.	The purpose of the body is to		
16.	The purpose of the bridge is to		
17.	The purpose of the saddle is to		
18.	The purpose of the tuners is to		

Fret Placement:

When a string is plucked or bowed, many types of waves travel along it, producing a variety of standing waves. The dominant (loudest) standing wave is called the fundamental. There are also other harmonics (a.k.a. overtones), which have higher frequencies and pitch.

- 19. Suppose an instrument string is **50cm** long, and when the open string is plucked, its frequency is **400hz**.
 - a. For purposes of tuning, we care about the fundamental vibration of the string. On the diagram to the right, label the position of the bridge and the nut. In this case, how many wavelengths does the vibrating string represent?



- b. What is the full wavelength of the waves that are traveling down the string?
- c. Write an equation for the wavelength of the string's fundamental standing wave, in terms of string length.
- d. What is the speed of those waves? Note: This speed is constant for a given string as long as the string's tension remains constant.
- e. The first fret (closest to the nut) on a finger board needs to correspond to a note that is one half-step higher than the open string. What is the frequency of a note one half step higher than the 400hz open string?
- f. In order to produce that note, what wavelength must the string have? [hint: you know the string's wave speed]
- g. How long must the vibrating portion of the string be in order to produce that wavelength?
- h. How far from the nut should the first fret be located? In other words, by what distance must you shorten your string in order to raise your instrument's pitch by one half step?